PARAGON BATH

SHOWER DOOR/ BATH TUB SCREEN INSTALLATION INSTRUCTIONS



SBS02-W

……

Please read these instructions carefully before installing. If you have any questions regarding installation, please call our technical support specialists Monday through Friday 9:00 AM – 5:00 PM at Phone: (888) 895-1989, or e-mail our technical support group at Support@Paragonbath.com. For more information on Paragon Bath Shower Doors & Tub screens please visit www.ParagonBath.com

Installing Preparations

1. After opening the carton, please read the instructions carefully, examine boxes and packages for shipping damage. If the unit has been damaged, has a finishing defect, or has missing parts, please contact our customer support department within 3 business days of the delivery date. Please note that Paragon Bath will not replace any damaged products or missing parts free of charge after 3 business days or if the product has been installed. Feel free to contact Paragon Bath if you have any questions.

2. Please note that you should consult your local building codes with questions on installation compliance standards. Building and plumbing codes may vary by location; we are not responsible for code compliance standards for your project and will not accept any returns.

3. If this screen is going to be installed in a new construction, please, install all of the required plumbing and drainage before installing the shower. Use a competent and licensed (if required) plumber for all plumbing installation period.

4. During installing, please make sure the installation surface is level and solid and will be able to support the total weight of the screen. Also, make sure that the walls are plumb. Depending on the type of screen you are installing, some adjustments in leveling may be possible. However, irregular installation, surface level or out of square conditions can result in serious problems for your installation. Please note that some adjustments and drilling may be necessary. Please protect all primary surfaces of the product during installation. Never set your glass down directly onto a tile floor. Always use a piece of wood or cardboard to protect the bottom edge and corners of the glass.

Installation necessary tools





Component list

No.	Name	Q'ty	No.	Name	Q'ty
01	Waterproof strip	1pc	11	Bottom glass clamp	1pc
02	Sealing strip	4pcs	12	Glass shelf	1pc
03	Support bar tube	1pc	13	Glass shelf clamp A	1pc
04	Support bar connect part	2pcs	14	Glass shelf clamp B	1pc
05	Support bar wall base	1pc	15	Stationary glass	1pc
06	support bar Glass clamp	1pc	16	Moving glass	1pc
07	Philip's screw ST6*40	2pcs	17	Handle	1pc
08	Philip's screw	2pcs	18	Wall clamp	2pcs

	ST4*25				
09	**Φ1/4” anchor**	**2pcs**	**19**	**Hinge**	**2pcs**
10	**Φ5/16” anchor**	**3pcs**	**20**		

WARM TIPS

01:
Open the packaging carefully and inspect all the necessary parts using detailed diagram and component list in your manual as a reference. Before discarding the carton, check for small hardware bags that tend to fall to the bottom of the box. If any parts are damaged or missing, please contact us for replacement.

02:
Retain these installation instructions for future use if in need.

INSTALLATION STEPS:

1. Install **waterproof strip (01), sealing strip (02)** and **wall clamp (18)** on stationary glass, then draw holes of wall clamp on the wall.

Please see Fig 1 for details.



Fig 1

2. Use **5/16”** drill bit to drill the holes and insert the **5/16” anchors (12).**

Please see **Fig 2** for details



Fig 2

3. Place the bottom **glass clamp(11)** to the shower base or tub, put the stationary glass on it, make sure the stationary glass wall clamp holes match the wall holes which have been drilled. draw holes on shower base or tub through the hole of bottom glass clamp. put stationary glass aside and use **1/4”** drill bit to drill holes on shower base or tub, then knock in the **1/4”** anchors to the holes and use **Philip’s screw ST4*25(08)** to lock the clamp to the shower base or tub.

Please see **Fig 3** for details





03 **04**

Fig 3

4. Place the stationary glass to the bottom glass clamp, use **Philip's screw ST6*40 (07)** to lock the **wall clamps (18)** and stationary glass to the wall, then lock the screw of the bottom clamp.

Please see **Fig 4** for details



Fig 4

5. Install hinge and waterproof stripe

Please see **Fig 5** for details



Fig 5

Warm tips: This stainless steel hinge comes with the positioning functions, with a solid bearing in the hinge middle. In order to let door open and close smoothly, the waterproof strips need to be cut in advance according to the hinge design. Please see **Fig 5** for details.

6. Install moving glass.
Place the **moving glass (16)** to the shower base or tub, make the hinge cut area match to the hinges then lock the hinge screws.

Please see **Fig 6** for details



Fig 6

7. Install glass shelf

7.1 Fix the glass **shelf clamp A (13**) to the stationary glass

7.2 Fix the **glass shelf clamp B (14)** to the wall. (in this way, it's better to snap the **clamp B** to the glass shelf first and push the **glass shelf (12)** to the **clamp A** which have installed on stationary glass, then make the glass shelf touch to the wall, adjust the level to get best result and pull the glass shelf out, then draw holes on the **clamp B**.

7.3 Use **1/4"** inch drill bit to drill holes on the glass **shelf clamp B** and knock in the **1/4"** anchors, use **Philip's screw ST4*25 (08)** to fix **clamp B** to the wall.

7.4. Push the glass shelf into the mounts of both glass clamps and use Philip's screw driver to lock the bottom screws of the clamps.

Please see **Fig 7** and **Fig 8** for details



Fig 7



Fig 8

8. Install support bar

8.1 Assemble support bar

Please see **Fig 9** for details



Fig 9

8.2. Snap one side of the support bar to the stationary glass, another side touch to the wall, adjust the proper position and then draw holes on the wall.

8.3. Use **5/16”** drill bit to drill holes and knock in **5/16”** anchors, then use **Philip’s head screw ST4*25 (08)** to fixed the support bar base to the wall.

8.4. Use Philip’s screw driver and hexagon spanner to fix the screws to lock the complete support bar.

Please see **Fig 10** for details



01



02



03



04



05

Fig 10

Handles have been assembled before shipment, you just need to disassemble and install according to the handle holes on the moving glass.

Please see **Fig 11** for details



Fig 11

10. Install sealing strip (02).
Install sealing strip on moving glass bottom to get better sealing result.

Please see **Fig 12** for details



Fig 12

11. Apply the sealant on any necessary places to prevent water leakage.

Please see **Fig 13** for details



Fig 13

Product Maintenance

To ensure long lasting life for your shower door/bath tub screen, please clean the dust or stains use non-abrasive sprays or cream based cleaners. Never use abrasive cleansers, metal brushes or scrapers that could scratch or dull the surface.

To ensure a long lasting hardware finish, wipe off the metal parts after each use with a soft cloth. Do not use abrasive cleaners or cleaning products containing ammonia, bleach or acid. If accidentally used, rinse the surface as soon as possible to prevent finish peeling or corrosion. After cleaning the shiny finishes, rinse thoroughly and wipe dry with soft cloth. Clean stainless steel surfaces at least once a week. When applying stainless steel cleaner or polish, work with (not against/across) the grain. Never use an abrasive sponge or cloth, steel wool or wired brushes.

Thank you for choosing PARAGON BATH “The Art Of Showering”.

PARAGONBATH
THE ART OF SHOWERING ™

Limited Warranty

WARANTY INFORMATION

This is Paragon Bath LLC exclusive written warranty effective August 8, 2014
This warranty extends only to the original owner/end-user for household use only and is not transferable to a subsequent owner. This warranty applies only to Paragon Bath LLC products purchased from an authorized dealer and installed in United States or Canada. Proof of purchase (original sales receipt) must be provided with all warranty claims. **In no event shall the liability of Paragon Bath LLC exceed the purchase price of the unit.** If Paragon Bath LLC shower & tub doors, shower enclosures and shower bases are used commercially, Paragon Bath LLC warrants such products to be free from defects in material and workmanship for one (1) year from initial date of purchase from an authorized dealer, with all other terms of this warranty applying except duration Paragon Bath LLC

Paragon Bath LLC warrants that for a period of ten (10) years following from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer. Paragon Bath LLC Shower Doors are warranted against material defects and defects in workmanship. All other Shower Door components are warranted for 10 years from date of sale. All warranty claims are subject to inspection by Paragon Bath prior to us providing a remedy for the warranty claim.

Paragon Bath LLC hereby disclaims all warranties for products sold as store displays. Paragon Bath LLC hereby disclaims all warranties for products used outside of the United States or Canada whether expressed or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose. Paragon Bath LLC will, at its election, repair, replace with product of equal value or make appropriate adjustment where Paragon Bath LLC analysis or inspection of warranty claim discloses any such defects occurring in normal usage within the warranty period. Paragon Bath LLC warranty obligation shall be discharged upon tender of replacement or repair. Purchaser's refusal to accept the tender terminates warranty obligation.

Cost of freight for returning products to Paragon Bath LLC for repairs or replacement under this limited warranty are the responsibility of the customer. Cost of freight associated with shipping of replacement product or parts to the customer may be charged to customer. Any product replaced or repaired during the warranty period will be covered only for the remaining period of the original warranty. In no event will Paragon Bath LLC be liable for costs of repair or replacement of any installation

material, including but not limited to tiles, marble, contract, negligence, strict liability in tort, or warranty of any kind) for any indirect, special, incidental, consequential, or exemplary damages (including but not limited to lost profits).

Paragon Bath LLC is not responsible for installation, removal or reinstallation costs of any product requiring warranty services. Improper modification or alteration of any Paragon Bath LLC products will void the warranty. This warranty does not apply to: 1) products relocated after initial installation; 2) products manufactured or supplied by others; 3) products which have defects or damage which result from improper installation; 4) products which have been subjected to alteration, misuse, negligence or accidents, corrosion or abrasion; 5) products which have been installed contrary to Paragon Bath LLC printed instructions; and 6) products used in commercial or multiple family dwellings units.
Paragon Bath LLC product installations and repairs must be performed by either a Paragon Bath LLC authorized agent or a licensed experienced professional contractor - installation or repairs performed by any other party shall void the warranty. This warranty shall not apply to breakage or damages caused by normal wear and tear, fault, carelessness, abuse, misuse, misapplication, improper maintenance, alteration or modification of the unit, as well as chemical or natural corrosion, accident, fire, flood, act of God or any other casualty. Improper care and cleaning will void the warranty. Use of cleaners containing abrasive cleansers, ammonia, bleach, acids, waxes, alcohol, solvents or other products not recommended for chrome or similar finish, glass or acrylic will void the warranty. For additional product maintenance instructions please refer to product installation manual. Paragon Bath LLC is not responsible for any issues arising in connection with errors or omissions in information provided on Paragon Bath LLC websites. The warranty does not extend to any non-Paragon Bath LLC plumbing or components installed by installers, end users or by any party other than Paragon Bath LLC.

Disclaimer

THE FOREGOING WARRANTIES ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Paragon Bath LLC AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Paragon Bath LLC IS NOT LIABLE FOR PERSONAL INJURIES OR DEATH TO ANY PERSON OR FOR ANY DIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGE, LOSS OF USE, LOSS OF TIME, LOSS OF PROFITS, INCONVENIENCE, INCIDENTAL EXPENSES, LABOR OR MATERIAL CHARGES, OR ANY OTHER COSTS RESULTING FROM THE USE OF ITS PRODUCTS OR PERTAINING TO THE APPLICATION OF THE PRESENT WARRANTY, OR RESULTING FROM THE REMOVAL OR REPLACEMENT OF ANY PRODUCT OR ELEMENT OR PART COVERED BY THIS WARRANTY.

Paragon Bath LLC is not responsible for product code compliance or for verifying

building code restrictions on installation or use and any such compliance is excluded from this warranty. Paragon Bath LLC reserves the right to modify this warranty at any time - such warranty modification will not alter warranty applicable at the time of sale of the products in question. Product must be registered within 30 days from time of purchase at www.ParagonBath.com

WARRANTY

Paragon Bath LLC., 155 Water Street, Suite 31, Brooklyn, NY 11201 Phone (888) 895-1989 Fax (888) 895-1989